



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/660,536	09/13/2000	Yong Rui	MS1-610US	7098

22801 7590 10/09/2002

LEE & HAYES PLLC
421 W RIVERSIDE AVENUE SUITE 500
SPOKANE, WA 99201

EXAMINER

GODDARD, BRIAN D

ART UNIT	PAPER NUMBER
----------	--------------

2171

DATE MAILED: 10/09/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/660,536

Applicant(s)

RUI, YONG

Examiner

Brian Goddard

Art Unit

2171

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 December 2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-50 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-50 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 September 2000 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ 6) ☐ Other: _____

DETAILED ACTION

Drawings

1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: 110 and 114 (both mentioned on page 9, line 6). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 5 and 28 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Referring to claim 5, it is unclear what the variable K represents in the dimensions of the matrix and the claimed equation. There is no definition in the claim and the specification does not provide clarification of this matter. In the interest of compact prosecution, the examiner assumes that K represents the length of a feature vector mentioned in line 3 of the same claim. It is suggested that the claim recite, "...X

represents an image matrix that is generated by stacking N feature vectors", each of length K, "corresponding to the set of potentially relevant images...."

Claim 28 recites the limitation "the identifying" in line 15. There is insufficient antecedent basis for this limitation. Claim 28 depends directly on claim 27, which recites, "identifying of the feature vector, identifying of the number of training samples..." (From claim 23) and "identifying how closely the image and the other image match each other...." These three instances of 'identifying' something render "the identifying" indefinite in claim 28 because it is unclear which instance is the antecedent basis for this limitation. In the interest of compact prosecution, the examiner assumes that "the identifying" in claim 28 refers to "identifying how closely the image and the other image match each other" in claim 27.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-4, 9-45 and 50 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,893,095 to Jain et al. in view of U.S. Patent No. 6,347,313 to Ma et al.

Referring to claim 1, Jain discloses a system and method for content-based retrieval of images. See Figures 1A-7 and the corresponding portions of the

specification for this disclosure. Jain teaches the claimed step of "receiving an initial image selection" as receiving a target image (248) in Figure 5A and the corresponding portion of the specification, specifically column 11, line 56 et seq. Jain also teaches the claimed step of "generating a plurality of query vectors..." as generating a feature vector for the target image containing a plurality of primitive vectors for each primitive (low-level feature) of the target image used to query the database in Figure 5A and column 12. Jain teaches the claimed step of "selecting a set of potentially relevant images..." as computing distances between primitive vectors of the query feature vector and the feature vectors of other images in the database to compare, rank, and select the closest matches in Figure 5B and column 12, line 61 to column 13, line 30.

Jain does not explicitly teach the use of relevance feedback to generate new query vectors or feature weights to select a new set of potentially relevant images. However, Jain does provide suggestion for doing so in the discussion on query refinement or systematic browsing in column 4, line 32 et seq. A user of Jain's system could manually generate a new query by choosing an image from the previous result set or modifying the parameters (weights) of the previous query.

Furthermore, Ma discloses a system and method for retrieving objects (images) based on relevance feedback. See the Abstract, Summary of the Invention, Figure 7 and the corresponding portion of the Ma's specification for this disclosure. Ma's system generates query feature vectors for a query image as in the first two steps of claim 1. See column 9, line 63 et seq. for this disclosure. Next, Ma's system selects a set of potentially relevant images and displays them to the user by mapping the query feature

vectors to a feature space and selecting images in clusters nearest those vectors. This corresponds to the third step of claim 1. Ma teaches the fourth claimed step of "receiving feedback regarding the relevance of one or more images of the set of potentially relevant images" in column 10, line 32 et seq. Finally, Ma's system selects a new set of potentially relevant images based on the relevance feedback by adjusting the weighting of feature elements within a correlation matrix as in the final two steps of claim 1. See column 9, line 21 et seq. and column 10, line 34 et seq. of Ma's specification for this disclosure. Ma does not explicitly teach generating new query vectors based on the relevance feedback.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to implement relevance feedback similar to that of Ma's system into Jain's system and method such that a user could provide relevance feedback regarding the selected group of images and the system would generate new query vectors and feature weights (such as in Ma's correlation matrix) to select a new set of potentially relevant images. One would have been motivated to do so because of Jain's suggestion above and the automated ability of Ma's system to fulfill such a task.

Referring to claims 2 and 3, Jain's system in light of Ma's disclosure as above discloses the system as claimed. Ma's correlation matrix is a full matrix used to determine the relevance (distance) between feature vectors in the higher-level feature space of clusters. The user's relevance feedback is embedded in the correlation matrix to provide weighting of certain features as more relevant than others between clusters in the feature space. See column 4 lines 43-63, column 6 line 23 to column 7 line 45,

Art Unit: 2171

and column 9 lines 21-41 of Ma's specification for this disclosure. Ma's correlation matrix is always a full matrix because it represents every cluster within the feature space of the database of images regardless of how many images were returned with relevance feedback.

Therefore, Ma does not disclose the use of a diagonal matrix if the number of images returned for relevance feedback is less than the number of feature elements in the feature vector being compared. In making the combination of Jain in view of Ma as above, it would have been obvious to one of ordinary skill in the art at the time the invention was made to choose between a full matrix (such as Ma's correlation matrix) and a diagonal matrix of simple weights, using the full matrix if the number of relevance feedback images was greater than the number of feature elements being compared, and using the diagonal matrix otherwise, to determine the distance between feature vectors based on the users preferences for weight of each feature. One would have been motivated to do so because it would save computational time and storage space in maintaining a much smaller matrix than Ma's correlation matrix, depending on the number of images returned with relevance feedback.

Referring to claim 4, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-3 discloses the system as claimed. Ma's system transforms each feature vector into a higher-level feature space of clusters. The correlation matrix is then used to weight the feature elements of the comparing feature vectors. These steps correspond to the first half of claim 4. Again, see the sections of

Ma's specification mentioned above for this disclosure. The discussion above with regard to claims 2 and 3 discloses the second half of claim 4.

Referring to claim 9, Jain's system and method in light of Ma's disclosure as discussed above with regard to claim 1 discloses the system as claimed. The relevance feedback of Ma's system is feedback from a user. Furthermore, the suggestion provided by Jain's specification mentioned above is also query refinement by a user. Referring to claim 10, Jain's system and method in light of Ma's disclosure as discussed above with regard to claim 1 discloses the system as claimed. The low-level features listed in the claims are all common features used in computer vision to quantify the content of an image. The primitives (low-level features) considered in Jain's system are local color, global color, structure, and texture. See column 12, line 10 et seq. Also see column 3, line 15 et seq. for a listing of other common features extracted in content-based retrieval systems. It would have been obvious to one of ordinary skill in the art at the time the invention was made to consider a color moments feature, a wavelet based texture feature, a water-fill edge feature, and any other common feature used in computer vision for content-based image representation as the comparative low-level features of the combined system above. One would have been motivated to do so because it would be ideal to represent and compare as many features of images as possible when using content-based image retrieval as such.

Referring to claims 11, 12 and 14-18, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-3 discloses the method as claimed. See the discussion regarding claims 1-3 and 9 for the details of this

disclosure. Referring to claim 13, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-3 discloses the method as claimed. The feature elements (primitives) compared for any given weighting within Jain's system are always elements of the same feature or primitive type. See column 12, line 61 et seq. of Jain's specification for this disclosure. Referring to claims 19-22, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-3 discloses the system as claimed. See the discussion regarding claims 1-3 and 9 for the details of this disclosure. Referring to claims 23 and 24, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4 discloses the method as claimed. See the discussion regarding claims 1-4 for the details of this disclosure.

Referring to claim 25, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4 discloses the method as claimed. Although the claimed equation is not explicitly disclosed, the computational elements and the functionality of the equation are present in the references. See Figures 11 and 12 and the corresponding portions of Jain's specification beginning in column 22, line 43. Jain's score (s_f) corresponds to the claimed distance (g). The two feature vectors being compared (FV1 and FV2) by Jain's system correspond to the query vector and the feature vector as claimed. Jain's system calculates the score (s_f) by calculating the distance between each primitive (s_i) and then applying a weight (w_i) to each primitive score (s_i). Ma's correlation matrix, discussed in detail above, corresponds to the mapping matrix (P) as claimed. In combining the teachings of Jain and Ma as above, it

would have been obvious to one of ordinary skill in the art at the time the invention was made to use matrix multiplication (with a weighting matrix) and vector subtraction to calculate the score (s_f), instead of applying individual weighting elements to individual primitive scores, and integrating Ma's correlation matrix into the multiplication as the relevance feedback. One would have been motivated to do so because this would reduce computation effort while maintaining the same result as Jain's original equations.

Referring to claim 26, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4 discloses the method as claimed. Although the claimed equation is not explicitly disclosed, the computational elements and the functionality of the equation are present in the references. See Figures 11 and 12 and the corresponding portions of Jain's specification beginning in column 22, line 43. Jain's score (s_f) corresponds to the claimed distance (g). The two feature vectors being compared (FV1 and FV2) by Jain's system correspond to the query vector and the feature vector as claimed. Jain's system calculates the score (s_f) by calculating the distance between each primitive (s_i) and then applying a weight (w_i) to each primitive score (s_i). This computation (the two equations in column 23 of Jain's specification) is mathematically equivalent to the claimed equation. In combining the teachings of Jain and Ma as above, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use matrix multiplication (with a weighting matrix) and vector subtraction to calculate the score (s_f), instead of applying individual weighting elements to individual primitive scores. One would have been motivated to do so

because this would reduce computation effort while maintaining the same result as Jain's original equations.

Referring to claims 27 and 28, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4 discloses the method as claimed. See the discussion above regarding claims 1-4 for the details of this disclosure. Refer specifically to Jain's disclosure of Comparisons beginning in column 12, line 61 where the 'final score' between two images is computed as a weighted sum of the individual scores (distances) for the primitives (features). Referring to claim 29, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4 discloses the system as claimed.

Referring to claim 30, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4 discloses the system as claimed. Jain teaches the "query vector generator..." of claim 30 as the Image Analysis Module (122) of Figure 1A. See Figures 1A and 5A and the corresponding portions of the specification for this disclosure, especially column 12 lines 1-3. Jain also teaches the "comparator" of claim 30 as the Image Comparison Module (124) of Figure 1A. See Figures 1A and 5B and the corresponding portions of the specification for this disclosure. The functionality steps of the claim are disclosed in the above discussion with regard to claims 1-4. It would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the comparisons made with consideration given to relevance feedback, as above, within Jain's Image Comparison Module (124) because that module already makes the normal image comparisons.

Referring to claims 31, 32 and 35, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4 discloses the method as claimed. See the discussion above regarding claims 1-4, 27 and 28 for the details of this disclosure. Referring to claims 33 and 34, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4 discloses the method as claimed. Again, see the discussion above regarding claims 1-4 for the details of this disclosure. Note that Ma's clusters and correlation matrix represent a mapping of feature vectors to a higher-level feature space in which relevance feedback is incorporated. See column 9, line 21 et seq. of Ma's specification for this disclosure. Referring to claims 36 and 37, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4, 27 and 28 discloses the method as claimed. See the discussion above regarding claims 1-4, 27 and 28 for the details of this disclosure. Referring to claim 38, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4 discloses the system as claimed.

Referring to claims 39-44, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4, 27 and 28 discloses the system as claimed. See the discussion above regarding claims 1-4, 27 and 28 for the details of this disclosure. Referring to claim 45, Jain's system and method in light of Ma's disclosure as discussed above with regard to claims 1-4, 27, 28 and 30 discloses the system as claimed. See the discussion above regarding these claims for the details of this disclosure. Referring to claim 50, Jain's system and method in light of Ma's disclosure as discussed above with regard to claim 1 discloses the system as claimed.

See Figures 1A and 1B and the corresponding portions of Jain's specification for the disclosure of the claimed components. Jain teaches the "client device" of claim 50 as a computer or workstation (140a and 140b) in communication with a server in Figure 1B and the corresponding portion of the specification. Jain teaches the "collection of a plurality of images" of claim 50 as the Database Store of Figure 1A and the corresponding portion of the specification. Finally, Jain teaches the "image server" of claim 50 as the Server with Backup Facility (160) of Figure 1B. See the discussion above regarding claim 1 for the details of the disclosure of the system's functionality as claimed.

4. Claims 5-8 and 46-49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jain in view of Ma as applied to claims 1 and 2 above, and further in view of the article entitled, "Relevance Feedback: A Power Tool for Interactive Content-Based Image Retrieval" by Rui et al.

Referring to claim 5, the Jain reference and the Ma reference do not explicitly disclose the means for updating the weights into a weighting matrix. Rui teaches a system and method similar to the combination of Jain in view of Ma above. Specifically, Rui discloses details of the implementation of relevance feedback into the weights used to calculate image distances. See Section V (Weight Updating) beginning in the left column of page 648 for this disclosure. Refer specifically to part A of this section for the functionality of the equation in claim 5. Although the claimed equation is not explicitly disclosed, the underlying functionality discussed in this portion of the Rui reference has the same effect as the functionality of the claimed equation. The Rui reference uses a

more simplistic implementation in that each piece of relevance feedback for each relevant image is individually incorporated into the weighting matrix.

However, it is common practice in the art to use a weighted covariance matrix to accomplish the same task by scalar multiplication of the weight $((\det(C))^{1/K})$ with the covariance matrix (C^{-1}) . In combining the teachings of Jain and Ma as above, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a weighted covariance matrix from the feature vectors of relevant images to accomplish the same task disclosed by the Rui reference as above. One would have been motivated to do so because this would be a more efficient implementation than the Rui reference, but would accomplish the exact same thing.

Referring to claim 6, the Jain reference and the Ma reference do not explicitly disclose the means for updating the weights into a weighting matrix. Rui teaches a system and method similar to the combination of Jain in view of Ma above. Specifically, Rui discloses details of the implementation of relevance feedback into the weights used to calculate image distances. See Section V (Weight Updating) beginning in the left column of page 648 for this disclosure. Refer specifically to part B of this section for the functionality of the equation in claim 6. Although the claimed equation is not explicitly disclosed, the underlying functionality discussed in this portion of the Rui reference has the same effect as the functionality of the claimed equation. Specifically, equation (29) on page 649 of the Rui references serves the same functional purpose as the claimed equation.

The Rui reference does not explicitly use a diagonal matrix for the weighting as claimed. Instead, it uses a weighting set (W_{ijk}). However, the weighting set serves the same purpose as the claimed weighting matrix (W). Therefore, in combining the teachings of Jain and Ma as above, it would have been obvious to one of ordinary skill in the art at the time the invention was made to generate a diagonal matrix from Rui's equation (29), applied only to the diagonal elements of the matrix, for weighting the distances between two images. One would have been motivated to do so because the generation of this diagonal matrix would serve the same purpose as Rui's weighting set in a more efficient manner.

Referring to claim 7, the system and method of Jain in view of Ma and Rui as discussed above with regard to claims 1, 2 and 5 discloses the system as claimed. The references do not explicitly teach generating the new query vectors exactly as claimed. However, the Rui reference does teach the normalization of the similarity measures with the weighting matrix described above with regard to claim 5. This has the same functionality as incorporating the relevance feedback into a new query vector as claimed. See sections IV and V of the Rui reference for this disclosure, referring specifically to the discussion in section IV, part B. Equations (14) – (17) in light of the discussion of the weighting set (W_{ijk}) above have the same effect as the claimed equation.

Instead of incorporating the relevance feedback into new query vectors as claimed, the Rui reference incorporates the feedback into a weighting set, and then normalizes the query vectors with the weighting set when comparing to other images in

the database. It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the relevance feedback received into the new query vectors by normalizing the feature vectors of the relevant images with their relevance weightings. One would have been motivated to do so because the Rui reference teaches normalization of the same effect, while the Jain reference provides suggestion for doing so in the discussion of query refinement in column 4.

Referring to claim 8, the system and method of Jain in view of Ma and Rui as discussed above with regard to claims 1, 2, 5 and 7 above discloses the system as claimed. See the discussion above regarding these claims for the details of this disclosure. The references do not explicitly disclose the method of generating a weight for the feature vector distances by the equation as claimed. However, the Rui reference does disclose the initialization of the weighting elements and the updating of the weighting elements having the same effect as the claimed weight generation. See sections III and V of the Rui reference for this disclosure.

The claimed equation for calculating this weight is a common function in the art. The equation is merely the integration of all of the feature vectors for the relevant images with their relevance feedback incorporated. In combining the teachings of Jain, Ma and Rui as above, it would have been obvious to one of ordinary skill in the art at the time the invention was made to calculate the weight for a distance between two feature vectors of Jain's system using an integral over the feature vectors for which relevance feedback was received. One would have been motivated to do so because

this would be a more efficient implementation than that of the Rui reference, while still maintaining the same functionality.

Referring to claim 46 and 47, the system and method of Jain in view of Ma and Rui as discussed above with regard to claims 1, 2 and 7 discloses the method as claimed. See the discussion above regarding claims 1, 2 and 7 for the details of this disclosure. Referring to claims 48 and 49, the system and method of Jain in view of Ma and Rui as discussed above with regard to claims 1, 2 and 8 discloses the method as claimed. See the discussion above regarding claims 1, 2 and 8 for the details of this disclosure.

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 6,173,275 to Caid et al. discloses a system and method for content-based image retrieval comparing query vectors to feature vectors of database images.

U.S. Patent No. 5,855,015 to Shoham discloses a system and method for content-based image retrieval using relevance feedback.

U.S. Patent No. 5,933,823 to Cullen et al. discloses a system and method for content-based image retrieval using texture analysis.

U.S. Patent No. 6,408,293 to Aggarwal et al. discloses an object retrieval system and method using relevance feedback.

U.S. Patent No. 5,696,964 to Cox et al. discloses a multimedia database retrieval system and method based on relevance feedback from a user.

U.S. Patent No. 5,950,189 to Cohen et al. discloses a system and method for object retrieval by calculating the distance between query vectors and feature vectors.

U.S. Patent No. 6,411,953 to Ganapathy et al. discloses a content-based image retrieval system and method.

U.S. Patent No. 5,778,362 to Deerwester discloses a system and method for relevance feedback and retrieval of data items.

The other publications disclose different aspects of content-based image retrieval systems and methods using relevance feedback.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Goddard whose telephone number is 703-305-7821. The examiner can normally be reached on M-F, 9 AM - 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Safet Metjahic can be reached on 703-308-1436. The fax phone numbers for the organization where this application or proceeding is assigned are 703-746-7239 for regular communications and 703-746-7238 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

Application/Control Number: 09/660,536
Art Unit: 2171

Page 18

bdg
October 7, 2002



SAFET METJAHIC
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100